CITRUCEL- methylcellulose powder, for solution GlaxoSmithKline Consumer Healthcare Holdings (US) LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient CITRUCEL Orange (in each heaping tablespoon)

Methylcellulose (a non-allergenic fiber) 2g

Active ingredient CITRUCEL Sugar Free (in each rounded tablespoon)

Methylcellulose (a non-allergenic fiber) 2g

Purpose

Bulk-forming fiber laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 12-72 hours

Warnings

Choking: taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have

- a sudden change in bowel habits that persists for two weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- you have rectal bleeding

These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- MIX THIS PRODUCT (CHILD OR ADULT DOSE) WITH AT LEAST 8 OUNCES (A FULL GLASS) OF WATER OR OTHER FLUID. TAKING THIS PRODUCT WITHOUT ENOUGH LIQUID MAY CAUSE CHOKING. SEE CHOKING WARNING
- use product at the first sign of constipation or irregularity
- put one dose in a full glass of cold water
- stir briskly and drink promptly
- drinking another glass of water is helpful

CITRUCEL Orange

| Age | Dose | |
|----------------------------|---|--|
| adults & children 12 years | start with 1 heaping <i>tablespoon</i> . Increase as needed, 1 | |
| of age and over | heaping tablespoon at a time, up to 3 times per day. | |
| children 6 - 11 years of | start with 2.5 level teaspoons . Increase as needed, 2.5 level | |
| age | teaspoons at a time, up to 3 times per day. | |
| children under 6 years of | consult a physician | |
| age | | |

CITRUCEL Sugar Free

| Age | Dose |
|----------------------------|---|
| adults & children 12 years | start with 1 rounded <i>tablespoon</i> . Increase as needed, 1 |
| of age and over | rounded <i>tablespoon</i> at a time, up to 3 times per day. |
| children 6 - 11 years of | start with 2 level teaspoons . Increase as needed, 2 level |
| age | teaspoons at a time, up to 3 times per day. |
| children under 6 years of | consult a physician |
| age | |

Other information (Citrucel Orange)

- each heaping tablespoon contains: calcium 80 mg and potassium 105mg
- each heaping tablespoon contributes 60 calories from sucrose and maltodextrin
- store below 77°F (25°C)
- protect contents from humidity
- keep tightly closed

Other information (Citrucel Sugar Free)

- each rounded tablespoon contains: calcium 80 mg and potassium 115 mg
- each rounded tablespoon contributes 24 calories from maltodextrin
- store below 77°F (25°C)
- protect contents from humidity
- keep tightly closed
- Phenylketonurics: CONTAINS PHENYLALANINE 52mg per adult dose

Inactive ingredients (Citrucel Orange)

citric acid, dibasic calcium phosphate, FD&C yellow #6 lake, maltodextrin, orange flavors (natural and artificial), potassium citrate, riboflavin, sucrose, titanium dioxide, tricalcium phosphate

Inactive ingredients (Citrucel Sugar Free)

aspartame, dibasic calcium phosphate, FD&C yellow #6 lake, malic acid, maltodextrin, orange flavors (natural and artificial), potassium citrate, riboflavin

Questions or comments? (Citrucel Orange)

call toll-free 1-800-897-6081

Trademarks are owned by or licensed to the GSK group of companies.

Distributed by:

GSK Consumer Healthcare

Warren, NJ 07059

© 2020 GSK group of companies or its licensor.

DIRECTIONS FOR USE (NO SCOOP DOSING):



1. Fill glass with at least 8 oz. of cold water.



2. Measure heaping tablespoon of product (one dose) and stir product into water. Stir briskly and drink promptly.

Questions or comments? (Citrucel Sugar Free)

call toll-free 1-800-897-6081

Trademarks are owned by or licensed to the GSK group of companies.

Distributed by:

GSK Consumer Healthcare

Warren, NJ 07059

© 2020 GSK or licensor.

DIRECTIONS FOR USE (NO SCOOP DOSING):



1. Fill glass with at least 8 oz. of cold water.



2. Measure rounded tablespoon of product (one dose) and stir product into water. Stir briskly and drink promptly.

Principal Display Panel
NDC 0135-0089-69
Great Taste

CITRUCEL

METHYLCELLULOSE FIBER THERAPY FOR IRREGULARITY

- Gentle and clinically proven effective*
- Gives you additional fiber to help relieve occasional constipation
- Fiber for irregularity that won't cause excess gas**

orange FLAVOR

NET WT 16 OZ (454 GRAMS)

Great Tasting

CITRUCEL Orange

Citrucel offers these great benefits:

- Gentle and clinically proven effective to help relieve occasional constipation*
- Fiber that won't ferment to cause excess gas **
- 100% Soluble, gluten-free, non-allergenic fiber
 - *When Used As Directed.
 - **Based On Laboratory Testing. Individual Results May Vary.

TAMPER EVIDENT PACKAGE

DO NOT USE IF FOIL SEAL IS MISSING OR BROKEN.

5E643



Principal Display Panel
NDC 0135-0090-74
Great Taste
CITRUCEL

METHYLCELLULOSE FIBER THERAPY FOR IRREGULARITY

- Gentle and clinically proven effective*
- Gives you additional fiber to help relieve occasional constipation
- Fiber for irregularity that won't cause excess gas**

sugar free ORANGE FLAVOR

NET WT 32 OZ (907 GRAMS)

Great Tasting Orange Flavor

CITRUCEL Sugar Free

Citrucel offers these great benefits:

Gentle and clinically proven effective to help relieve occasional constipation*

- Fiber that won't ferment to cause excess gas**
- 100% Soluble, gluten-free, and non-allergenic fiber
 *When Used As Directed.
 - **Based On Laboratory Testing. Individual Results May Vary.

TAMPER EVIDENT PACKAGE

DO NOT USE IF FOIL SEAL IS MISSING OR BROKEN.
5M245



CITRUCEL methylcellulose powder, for solution Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:0135-0089

Active Ingredient/Active Moiety

| Ingredient Name Ba | Basis of Strength | Strength |
|--------------------|-------------------|----------|
|--------------------|-------------------|----------|

METHYLCELLULOSE (4000 MPA.S) (UNII: MRJ667KA5E) (METHYLCELLULOSE (4000 MPA.S) - UNII:MRJ667KA5E)

METHYLCELLULOSE (4000 MPA.S)

2 g in 19 g

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| POTASSIUM CITRATE (UNII: EE900NI6FF) | |
| RIBOFLAVIN (UNII: TLM2976OFR) | |
| SUCROSE (UNII: C151H8M554) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| TRICALCIUM PHOSPHATE (UNII: K4C08XP666) | |

Product Characteristics

| Color | ORANGE | Score |
|----------|--------|--------------|
| Shape | | Size |
| Flavor | ORANGE | Imprint Code |
| Contains | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|--|-------------------------|-----------------------|
| 1 | NDC:0135-0089- 69 | 454 g in 1 BOTTLE; Type 0: Not a Combination Product | 09/16/2010 | |
| 2 | NDC:0135-0089- 71 | 850 g in 1 BOTTLE; Type 0: Not a Combination Product | 09/16/2010 | |

| Marketing Information | | | |
|---|---------|------------|--|
| Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date | | | |
| OTC monograph not final | part334 | 09/16/2010 | |
| | | | |

CITRUCEL

methylcellulose powder, for solution

Product Information

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0135-0090 |
|-------------------------|----------------|--------------------|---------------|
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | | |
|---|---------------------------------|------------------|--|--|
| Ingredient Name Basis of Strength Stre | | | | |
| METHYLCELLULOSE (4000 MPA.S) (UNII: MRJ667KA5E) (METHYLCELLULOSE (4000 MPA.S) - UNII: MRJ667KA5E) | METHYLCELLULOSE (4000 MPA.S) | 2 g in 10.2 g | | |

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| ASPARTAME (UNII: Z0H242BBR1) | | | |
| ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J) | | | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | | | |
| MALIC ACID (UNII: 817L1N4CKP) | | | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | | | |
| POTASSIUM CITRATE (UNII: EE90ONI6FF) | | | |
| RIBOFLAVIN (UNII: TLM29760FR) | | | |

| Product Characteristics | | | |
|-------------------------|--------|--------------|--|
| Color ORANGE Score | | | |
| Shape | | Size | |
| Flavor | ORANGE | Imprint Code | |
| Contains | | | |

| P | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:0135-0090- 70 | 479 g in 1 BOTTLE; Type 0: Not a Combination Product | 09/16/2010 | | |
| 2 | NDC:0135-0090- 74 | 907 g in 1 BOTTLE; Type 0: Not a Combination Product | 09/16/2010 | | |
| 3 | NDC:0135-0090- 75 | 1191 g in 1 BOTTLE; Type 0: Not a Combination Product | 09/16/2010 | | |

| Marketing Information | | | | | |
|-------------------------|---|-------------------------|-----------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| OTC monograph not final | part334 | 09/16/2010 | | | |
| | | | | | |

Labeler - GlaxoSmithKline Consumer Healthcare Holdings (US) LLC (079944263)

Revised: 5/2021 GlaxoSmithKline Consumer Healthcare Holdings (US) LLC

| | | - |
|--|--|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |